

 **ATOMS PRO**[®]



Garage Door Openers
“Opening the garage of tomorrow.”



Garage Door Openers For Professionals

INNOVATIONS!

The revolutionary and innovative design provides quiet, reliable and efficient performance. Experience it with AtomsPro™ Garage Door Opener.

Rectangular Tube Rail



COMPLETELY WIRELESS

AtomsPro™ Brings Innovation to the Next Level!
Now the first garage door opener with a complete wireless installation.

• Wireless Safety Sensors



• Wireless Wall Console



TAMPER PROOF TROLLEY



The Revolutionary
Patent-Pending
Tamper-Proof Trolley
Design provides Peace
of Mind and Added
Security to Prevent
Forceable Entry.

CONNECTIVITY

Have peace of mind with the Orbit® App. Control your garage door from anywhere using your smartphone. Check status of your door, open and close your door, and receives push notification alerts.

Wi-Fi ADAPTOR

Upgrade the AtomsPro™ to a smart garage door opener with the Wi-Fi adaptor. Simply plug in the adaptor and be able to control and monitor your garage door with your mobile device.





Compatible with In-Car Remote

Easily programmable to in-car remotes for additional convenience.



Flexible Drive System

- Same Head Unit can be used for either Durable Chain Drive or Extremely Quiet Steel-Reinforced Belt Drive.
- Rails available in 7', 8' or 10' lengths.



Passcode Remote Control

Create optional 3-8 digits passcode for additional security.




Energy Efficient Built-in Bright LED Light

- Long life built-in LED Light (12Watt).
- Never have to replace a light bulb again.
- Low power consumption to save energy.



Numeric Display

- Guides you through all steps during programming. No more guesswork.
- Displays diagnostic information for fast troubleshooting.



Backup Battery System

- Externally Mounted Backup Battery (optional) compatible with all AtomsPro™ openers.
- Can be added during initial installation or any time after installation.
- Built-in LED provides lighting during power outages.

ADDITIONAL
FEATURES





COST SAVING RAIL DESIGN

SAVE UP TO 50% SHIPPING COST

STANDARD ONE-PIECE SOLID RAIL

QUICK SNAP 3-PIECE RAIL



CHAIN / BELT
AVAILABLE



TAMPER
PROOF TROLLEY



7' / 8' / 10'
AVAILABLE



EASY TO
ASSEMBLE



AS STRONG
AS T-RAIL



SHIPPING AND HANDLING



32 Head Units

HIGHER SHIPPING COST



32 Rail Units



44
Head and Rail
Units

SAVE
UP TO 50%
ON SHIPPING COST

Separate Skids for Heads and Rails

One Skid with Heads Units and Rails



ACCESSORIES



Wi-Fi Adaptor - *WF-001*

The Wi-Fi Adaptor garage door controller transforms the AtomsPro™ opener into a smart opener through our “Orbit” App. It enables you to monitor and control the garage door remotely from anywhere using your Smartphone.



Backup Battery - *BA-100*

- Delivers efficient power to the openers when a power failure occurs.
- No additional outlet is needed.
- Full protection: Discharge, overcharge and overload protection.
- Built-in LED provides lighting during power outages.



Remote Control - *MM-318*

- Easy to program.
- Passcode protection.
- Compact-size 3-button transmitter can operate up to three garage doors.
- Control lighting with PG-318/LG-318.
- 3V Lithium battery included.
- Available with 1, 2, 3 and 5 buttons.



Screw-in Dimmer - *LG-318*

- Works with AtomsPro™ remote controls to turn lights on/off.
- Easy Installation.
- Operates up to 60W light bulb (works with all CFL/LED/Tungsten lights).



Plug-In ON/OFF Control - *PG-318*

- Add remote capabilities to plug-in lighting and appliances.
- Work with AtomsPro™ 3-Button remote controls to turn lights on/off.
- Easy Installation.




Keyless Entry System - *KN-318*

- Wireless system provides entry without remote or keys.
- Compatible with all AtomsPro™ Garage Door Openers.
- Works with up to 4 AtomsPro™ door openers.

DETAIL & SPECIFICATION

	Performance Series		Compact Series		
MODEL	ATR-2712	ATR-2612	ANR-2712	ANR-2612	ANR-2611
Description	3/4 HPf	1/2 HPf	3/4 HPf	1/2 HPf	1/2 HPf
Connectivity with Hub	Capable	Capable			
Wi-Fi Stick	Capable	Capable			
Numeric Diagnostic Display					
Optimal Force Setting					
Rolling Code Technology					
Radio Frequency	318 MHz	318 MHz	318 MHz	318 MHz	318 MHz
Auto Close Timer					
Built-in LED Light					
Passcode Remote		Yes, With optional 3-Button Remote		Yes, With optional 3-Button Remote	Yes, With optional 3-Button Remote
Wall Control Panel	Deluxe Wall Console	Deluxe Wall Console	Deluxe Wall Console	Deluxe Wall Console	Push Button
Remote Control	3-Button Remote with Visor Mounting Bracket	2-Button Remote with Visor Mounting Bracket	3-Button Remote with Visor Mounting Bracket	2-Button Remote with Visor Mounting Bracket	1-Button Remote with Visor Mounting Bracket
In-Car Remote Compatible					
Conforms to UL 325					
Backup Battery	Capable	Capable	Capable	Capable	Capable
Wired Safety Sensors					
Operation Rating	120 W	96 W	120 W	96 W	96 W
Travel Rate	6" per second	6" per second	6" per second	6" per second	6" per second
Motor Warranty	Lifetime	8 Years	Lifetime	8-Year	8-Year
Parts/Accessories Warranty	1-Year	1-Year	1-Year	1-Year	1-Year
Chain/Belt Warranty	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime

FOR ADDITIONAL MODELS CONFIGURATIONS. PLEASE VISIT [SKYLINKHOME.COM](https://www.skylinkhome.com) OR CALL 1-888-27ATOMS (1-888-272-8667)



ATOMS PRO®



Garage Door Openers for Professionals

Skylink Group
www.skylinkhome.com

Please contact us for more information.
Tel: 1-888-27ATOMS (1-888-272-8667)
Email: info@skylinkhome.com
Fax: 1 905-456-7819

The information in this document is subject to change without notice.

